




**QUIET RIDE**

**Products Manual**

# Quiet Ride

Nice driving pleasure comes from quiet ride





**THREE-A**  
QUIET RIDE





## Core Equipment PCR production line, which uses automated and intelligent manufacturing and monitoring devices

Germany FISCHER small-angle belt-cutting machine

Multi-station fiber-cutting machine

Italy Aikei steel fiber dual-purpose calender

Fully-automated and three-dimensional sorting workshop

Multi-station calendering spindle room

Straight-cut production line

Netherland VMI ESSIUM one-time forming machine

Germany Trestor extruder production line

Vulcanized by hydraulic vulcanizer and active mold

U.S.A. BAR TELL 6-station wire-winding production line

Japanese Kobelco fully-automated moving-detection production line

Airtight lamination production line

# UHP



UHP P606



UHP ECOWINGED



UHP ECO819



SHARK-Z02

# HP



HP P306



ECO809



P906

# RE

# SUV



ECOSAVER



ECOSAVER II



CRUISE HTX

# AT



ECOLANDER



CROSSLANDER



TUFTRAIL A/T



ROADLEGEND-HT

# MT



CHALLENGER M/T



MUD CONTENDER M/T

# VAN



EFFITRAC



EFFIVAN



TRACVAN

# SNOW



WINTER PRO



WINTER CHALLENGER



FREEZE S1



ECOSNOW



ECOSNOW4x4



FREEZE 4x4



# UHP P606

## HIGH-PERFORMANCE TYRE SERIES



comfort



high-performance



directional tread pattern



all-weather support

comfort: low tyre noise, low vibration and impacts against obstacles

high-performance: excellent anti-slipping, steering and high-speed performance

directional tread patterns: asymmetric tread surface patterns on both sides ensure excellent cornering performance.

all-weather support: whenever on sunny or rainy days, the tire always provides good driving and grip force.

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
195/45R16	84	V	6~7½J	6½J	195	582	7.8
195/50R15	82	V	5½~7J	6J	201	577	7.8
195/50R16	84/88	V	5½~7J	6J	201	602	7.8
195/55R15	85	V	5½~7J	6J	201	595	7.8
195/55R16	87	V	5½~7J	6J	201	620	7.8
205/40R17	84	W	7~8J	7½J	212	596	7.8
205/45R16	87	W	6½~7½J	7J	206	590	7.8
205/45R17	88	W	6½~7½J	7J	206	616	7.8
205/50R16	87	W	5½~7½J	6½J	214	612	7.8
205/50R17	93	W	5½~7½J	6½J	214	638	7.8
205/55R16	91	W	5½~7½J	6½J	214	632	7.8
205/55R17	95	W	6~7J	6½J	214	658	7.8
205/60R14	88	T	5½~7½J	6J	209	602	7.8
215/35R18	84	W	7½~8½J	7½J	218	607	7.8
215/40R17	87	W	7½~9J	7½J	218	604	7.8
215/45R16	90	V	7½~8J	7J	213	600	7.8
215/45R17	91	W	7~8J	7J	213	626	7.8
215/50R17	95	W	6~7½J	7J	226	648	7.8
215/55R16	97	W	6~7½J	7J	226	642	7.8
215/55R17	98	W	6~7½J	7J	226	668	7.8
225/35R19	88	W	7½~9J	8J	230	641	7.8
225/35R20	90	W	7½~9J	8J	230	666	8
225/40R18	92	W	7½~9J	8J	230	637	7.8
225/45R17	94	W	7~8½J	7½J	225	634	7.8
225/45R18	95	W	7~8½J	7½J	225	659	7.8
225/50R17	98	W	6~8J	7J	233	658	7.8
225/55R16	99	V	6~8J	7J	233	654	7.8
225/55R17	101	W	6~8J	7J	233	680	7.8
235/35R19	91	W	8~9½J	8½J	241	647	7.8
235/40R18	95	W	8~9½J	8½J	241	645	7.8
235/45R17	97	W	7½~9J	8J	236	644	7.8
235/45R18	98	Y	7½~9J	8J	236	669	7.8
235/50R17	100	W	7~8J	7½J	245	668	8
235/50R18	101	W	7~8J	7½J	245	693	8
235/55R17	103	W	6½~8½J	7½J	245	690	7.8
245/35R19	93	W	8~9½J	8½J	248	655	7.8
245/35R20	95	W	8~9½J	8½J	248	680	7.8
245/40R17	95	W	8~9½J	8½J	248	628	7.8
245/40R18	97	W	8~9½J	8½J	248	653	7.8
245/45R17	99	W	7½~9J	8J	243	652	7.8
245/45R18	196	W	7½~9J	8J	243	677	7.8
245/45R20	99	W	7½~8½J	8J	243	728	7.8
245/55R19	103	W	7~8J	7½J	253	753	8
255/35R18	94	W	8½~10J	9J	260	635	7.8
255/35R19	96	Y	8½~10J	9J	260	661	7.8
255/35R20	97	W	8½~10J	9J	260	686	7.8
255/40R19	100	W	8½~9½J	9J	260	687	8
255/45R18	103	W	8~9½J	8½J	255	687	7.8
265/30R19	93	W	9~10J	9½J	271	643	7.8
265/35R22	102	W	9~10½J	9½J	271	745	7.7
265/45R20	104	W	8½~9½J	9J	266	746	7.8
275/30R19	96	W	9~10J	9½J	278	649	7.8
275/40R20	106	Y	9~11J	9½J	278	728	7.8
275/45R20	110	V	8½~10½J	9J	273	756	8.7
275/55R20	117	W	7½~9½J	8½J	284	810	7.8
285/35R22	112	W	9½~11J	10J	290	759	7.8
285/50R20	116	V	8~10J	9J	297	794	8.7
305/35R24	112	W	10~12J	11J	313	824	7.8
305/40R22	114	W	10~12J	11J	313	803	7.7
305/45R22	118	W	9½~11½J	10J	303	833	7.7
315/35R20	110	Y	10½~11½J	11J	320	728	7.8



# UHP P606 RFT

RUN-FLAT TIRE



comfort



high-performance



directional tread pattern



all-weather support

comfort: low tyre noise, low vibration and impacts against obstacles

high-performance: excellent anti-slipping, steering and high-speed performance

directional tread patterns: asymmetric tread surface patterns on both sides ensure excellent cornering performance.

all-weather support: whenever on sunny or rainy days, the tire always provides good driving and grip force.

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
195/55RF16	87	V	5.5~7J	6J	201	620	7.8
205/45RF17	88	W	6½~7½J	7J	206	616	7.8
205/50RF17	93	W	5½~7½J	6½J	214	638	7.8
205/55RF16	91	W	5½~7½J	6½J	214	632	7.8
225/40RF18	92	W	7.5~9J	8J	230	637	7.8
225/45RF17	91	W	7~8½J	7½J	225	634	7.8
225/45RF17	94	W	7~8½J	7½J	225	634	7.8
225/50RF17	94	W	6~8J	7J	233	658	7.8
225/55RF17	97	W	6~8J	7J	233	680	7.8
245/40RF18	97	W	8~9.5J	8½J	248	653	7.8
245/45RF18	100	W	7.5~9J	8J	243	677	7.8
245/45RF18	96	W	7.5~9J	8J	243	677	7.8



# UHP ECOWINGED

## ULTRA HIGH PERFORMANCE



comfort



high-performance



directional tread pattern



all-weather support

comfort: low tyre noise, low vibration and impacts against obstacles

high-performance:excellent anti-slipping, steering and high-speed performance

directional tread pattern:directional tread patterns: asymmetric tread surface patterns on both sides ensure excellent cornering performance.

all-weather support: whenever on sunny or rainy days,the tire always provides good driving and griving and grip force

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
225/55R18	98	V	6½~7½J	7J	233	705	7.8
235/50R19	99	V	7~8J	7½J	245	719	7.8
245/40R19	98	Y	8~9J	8½J	248	679	7.8
225/55R19	99	V	6½~7½J	7J	233	731	7.8
245/50R20	102	V	7~8J	7½J	253	754	7.8
255/45R19	100	V	8~9J	8½J	255	703	7.8
235/55R19	105	V	7~8J	7½J	245	741	7.8
255/40R18	95	Y	8½~9½J	9J	260	661	7.8
255/45R17	98	W	8~9J	8½J	255	662	7.8
245/45R19	98	Y	7½~8½J	8J	243	703	7.8
275/35R19	100	Y	9~10J	9½J	278	675	7.8
255/55R19	111	V	7½~8½J	8J	265	763	7.8
275/40R19	101	Y	9~10J	9½J	278	703	7.8
225/50R18	95	W	6½~7½J	7J	233	683	7.4
225/45R19	96	W	7~8J	7½J	225	685	7.4
235/45R20	100	V	7½~8½J	8J	236	720	7.4
255/40R20	101	Y	8½~9½J	9J	260	712	7.4
255/45R20	101	W	8~9J	8½J	255	738	7.4
215/50R18	92	V	6½~7½J	7J	226	673	7.4
235/40R19	96	W	8~9J	8½J	241	671	7.4
245/45R20	103	V	7½~8½J	8J	243	728	7.8
245/50R18	104	V	7~8J	7½J	253	703	7.4
255/50R20	109	Y	7½~8½J	8J	265	764	7.4
275/50R20	109	V	8~9J	8½J	284	784	7.8





# UHP EC0819

## HIGH-PERFORMANCE TYRE SERIES



comfort



high-performance



directional tread pattern



all-weather support

comfort: low tyre noise, low vibration and impacts against obstacles

high-performance: excellent anti-slipping, steering and high-speed performance

directional tread pattern: directional tread patterns: asymmetric tread surface patterns on both sides ensure excellent cornering performance.

all-weather support: whenever on sunny or rainy days, the tire always provides good driving and grip force

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
195/45R16	84	V	6~7½J	6½J	195	582	6.8
195/50R15	82	V	5½~7J	6J	201	577	6.8
195/55R16	87	V	5½~7J	6J	201	620	6.8
205/40R17	84	W	7~8J	7½J	212	596	7
205/45R17	88	W	6½~7½J	7J	206	616	7
215/45R17	91	W	7~8J	7J	213	626	7
215/55R17	98	W	6~7½J	7J	226	668	7
225/40R18	92	W	7½~9J	8J	230	637	7
225/45R17	94	W	7~8½J	7½J	225	634	7
225/50R17	98	W	6~8J	7J	233	658	7
235/45R17	97	W	7½~9J	8J	236	644	7
245/40R18	97	Y	8~9½J	8½J	248	653	7
245/45R18	100	W	7½~9J	8J	243	677	7



# EC0809

## HIGH-PERFORMANCE TYRE SERIES



comfort



high-performance



symmetrical tread pattern



all-weather support

comfort: low tire noise, low vibration and impacts against obstacles

high-performance: outstanding wear resistance and steering

symmetrical tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance

all-weather support: whenever on sunny or rainy days, the tire always provides good driving and grip force

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
185/55R15	82	V	5~6½J	6J	194	585	6.8
185/60R15	84	H	5~6½J	5½J	189	603	6.8
185/65R15	88	H	5~6½J	5½J	189	621	6.8
195/60R15	88	H	5½~7J	6J	201	615	6.8
195/65R15	91	H	5½~7J	6J	201	635	6.8
205/55R16	91	V	5½~7½J	6½J	214	632	6.8
205/60R16	92	H	5½~7½J	6J	209	652	6.8



# HP P306

## HIGH-PERFORMANCE TYRE SERIES



comfort



high-performance



symmetrical tread pattern



all-weather support

comfort: low tire noise, low vibration and impacts against obstacles

high-performance: outstanding wear resistance and steering

symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance

all-weather support: whenever on sunny or rainy days, the tire always provides good driving and grip force

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
155/65R13	73	T	4½~5½J	4½J	157	532	7.4
155/65R14	75	T	4½~5½J	4½J	157	558	7.4
155/70R13	75	T	4~5J	4½J	157	548	7.4
155/80R13	79	T	4~5J	4½J	157	578	7.4
165/60R14	75	H	4½~6J	5J	170	554	7.4
165/65R13	77	T	4½~6J	5J	170	544	7.4
165/70R13	79	T	4~5½J	5J	170	562	7.4
165/70R14	85/81	T	4~5½J	5J	170	588	7.4
175/60R13	77	T	5½~6J	5J	177	540	7.4
175/65R13	80	T	5~6J	5J	177	558	7.4
175/65R14	82/86	H	5~6J	5J	177	584	7.6
175/65R15	84	H	5~6J	5J	177	609	7.6
175/70R13	82	T	4½~6J	5J	177	576	7.4
175/70R14	84/88	H	4½~6J	5J	177	602	7.4
185/50R16	85	V	5½~6½J	6J	194	592	7.6
185/55R15	82	V	5~6½J	6J	194	585	7.6
185/55R16	87	V	5½~6½J	6J	194	610	7.6
185/60R14	82	H	5~6½J	5½J	189	578	7.6
185/60R15	84/88	H	5~6½J	5½J	189	603	7.6
185/65R14	86	H	5~6½J	5½J	189	596	7.6
185/65R15	88	H	5~6½J	5½J	189	621	7.6
185/70R13	86	T	4½~6J	5½J	189	590	7.6
185/70R14	88	T/H	4½~6J	5½J	189	616	7.6
195/60R14	86	H	5½~7J	6J	201	590	7.8
195/60R15	88	H/V	5½~7J	6J	201	615	7.8
195/60R16	89	H	5½~7J	6J	201	640	7.8
195/65R15	91	H/V	5½~7J	6J	201	635	7.8
195/70R14	91	T	5~6½J	6J	201	630	7.8
205/55R16	91	V	5½~7½J	6½J	214	632	7.8
205/60R15	91	H/V	5½~7½J	6J	209	627	7.8
205/60R16	92	H	5½~7½J	6J	209	652	7.8
205/65R15	94	H/V	5½~7½J	6J	209	647	7.8
205/65R16	99	H	5½~7½J	6J	209	672	7.8
205/70R14	98/95	T	5~7J	6J	209	644	7.6
205/70R15	96	H	5~7J	6J	209	669	7.8
215/60R16	99	H/V	6~7½J	6½J	221	664	8.1
215/65R15	96	H	6~7½J	6½J	221	661	7.8
215/70R15	98	H	5½~7J	6½J	221	683	7.8
225/50R16	96	W	6~8J	7J	233	632	7.8
225/60R16	98	H	6~8J	6½J	228	676	8.1



## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
265/50R20	111	W	7½~9½J	8 1/2J	277	774	8
265/60R18	110	V	7½~9½J	8J	272	775	8.5
295/50R15	108	H	8~10½J	9 1/2J	309	677	8.8

# SHARK-Z02

## HIGH-PERFORMANCE TYRE SERIES



comfort



high-performance



symmetrical tread pattern



all-weather support

comfort: low tire noise, low vibration and impacts against obstacles

high-performance: outstanding wear resistance and steering

symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance

all-weather support: whenever on sunny or rainy days, the tire always provides good driving and grip force



# P906

## WEAR-RESISTING TYRE SERIES



comfort



super wear resistance



symmetric tread pattern



all-weather support

comfort: low tire noise, low vibration and impacts against obstacles

Super wear resistance: the tyre uses excellent wear resistant formula

in design and delivers the best wear resisting performance

symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent

high-speed straight running performance

all-weather support: whenever on sunny or rainy days, the tire always provides good driving and grip force

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
165/60R14	79	H	4.5-6.0J	5J	170	554	7.8
165/65R13	77	T	4.5-6.0J	5J	170	544	7.6
165/70R13	79	T	4.0-5.5J	5J	170	562	7.6
165/70R14	85	T	4.0-5.5J	5J	170	588	7.6
175/65R14	82	H	5.0-6.0J	5J	177	584	7.8
175/70R13	86	T	4.5-6.0J	5J	177	576	7.8
175/70R14	84	H	4.5-6.0J	5J	177	602	7.8
185/55R15	82	H	5.0-6.5J	6J	194	585	7.8
185/60R14	82	H	5.0-6.5J	5½J	189	578	8.1
185/60R15	84	H	5.0-6.5J	5½J	189	603	8.1
185/65R14	86	H	5.0-6.5J	5½J	189	596	8
185/65R15	92	H	5.0-6.5J	5½J	189	621	7.8
195/60R14	86	H	5.5-7.0J	6J	201	590	8.1
195/60R15	88	H	5.5-7.0J	6J	201	615	8.1
195/65R15	91	H	5.5-7.0J	6J	201	635	8.1
205/55R16	91	V	5.5-7.5J	6½J	214	632	7.8
205/60R16	96	H	5.5-7.5J	6J	209	652	8
205/65R15	94	H	5.5-7.5J	6J	209	647	8.1
215/60R16	99	H	6.0-7.5J	6½J	221	664	7.8
215/70R15	98	H	5.5-7.0J	6½J	221	683	8.1



# ECOSAVER

## SUV COMFORT TYRES SERIES



comfort



high performance



symmetric tread pattern



all-weather support

comfort: low tire noise, low vibration and impacts against obstacles

high-performance: outstanding wear resistance and steering

symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance

all-weather support: whenever on sunny or rainy days, the tyre always provides good driving and grip force

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
205/60R16	96	V	5½-6½J	6J	209	652	8.5
215/55R18	99	V	6½~7½J	7J	226	693	8.5
215/60R16	95	H	6~7½J	6½J	221	664	8.7
215/60R16	99	H	6~7½J	6½J	221	664	8.7
215/60R17	96	H	6~7½J	6½J	221	690	8.7
215/60R17	96	H	6~7½J	6½J	221	690	8.7
215/65R16	98	H	6~7½J	6½J	221	686	8.7
215/65R16	98	H	6~7½J	6½J	221	686	8.7
215/70R15	98	H	5½~7J	6½J	221	683	8.7
215/70R16	100	H	5½~7J	6½J	221	708	8.7
215/75R15	100	H	5½~7J	6J	216	703	8.7
225/60R16	98	H	6~8J	6½J	228	676	8.2
225/60R17	99	H	6~8J	6½J	228	702	8.7
225/60R17	99	H	6~8J	6½J	228	702	8.7
225/60R18	100	H	6~8J	6½J	228	727	8.2
225/65R16	100	H	6~8J	6½J	228	698	8.5
225/65R17	102	H	6~8J	6½J	228	724	8.7
225/65R17	102	H	6~8J	6½J	228	724	8.7
225/70R15	100	H	6~7½J	6½J	228	697	8.7
225/70R16	102	T	6~7½J	6½J	228	722	8.7
225/70R17	108	T	6~7½J	6½J	228	748	8.7
225/75R15	102	H	6~7½J	6J	223	719	8.7
235/55R18	100	V	7-8J	7½J	245	715	8.5
235/55R18	104	V	7-8J	7½J	245	715	8.5
235/60R16	100	H	6½~8½J	7J	240	688	9.2
235/60R17	102	H	6½~7½J	7J	240	714	8.5
235/60R17	106	V	6½~7½J	7J	240	714	8.5
235/60R18	103	H	6½~8½J	7J	240	739	8.2
235/65R16	103	T	6½~8½J	7J	240	712	9.2
235/65R17	104	H	6½~8½J	7J	240	738	9.2
235/65R17	108	H	6½~8½J	7J	240	738	9.2
235/65R18	106	V	6½~7½J	7J	240	763	8.7
235/65R18	110	V	6½~7½J	7J	240	763	8.7
235/70R16	106	H	6~8J	7J	240	736	9.2
235/70R17	107	H	6~8J	7J	240	762	9.2
235/70R17	111	H	6~8J	7J	240	762	9.2
235/75R15	105	H	6~8J	6½J	235	733	8.7
235/75R15	105	T	6~8J	6½J	235	733	8.7
245/60R18	104	H	7~8½J	7J	248	751	8.2
245/65R17	107	H	7~8½J	7J	248	750	9.2
245/70R16	107	H	6½~8J	7J	248	750	9.2
245/70R16	111	H	6½~8J	7J	248	750	9.2
245/70R17	108	T	6½~8J	7J	248	776	9.2
245/75R16	111	H	6½~8J	7J	248	774	8.7
255/50R19	103	V	7½~8½J	8J	265	739	8.5
255/50R19	107	Y	7½~8½J	8J	265	739	8.5
255/55R18	109	V	7½~8½J	8J	265	737	8.7
255/55R18	109	W	7½~8½J	8J	265	737	8.7
255/65R16	109	H	7~9J	7½J	260	738	9.2
255/65R17	110	H	7~9J	7½J	260	764	9.2
255/70R16	111	T	6½~8½J	7½J	260	764	9.2
255/70R17	110	T	6½~8½J	7½J	260	790	9.2
255/70R17	112	T	6½~8½J	7½J	260	790	9.2
255/70R18	112	H	6½~8½J	7½J	260	815	8.7
265/60R18	110	H	7½~9½J	8J	272	775	8.2
265/65R17	112	H	7½~9½J	8J	272	776	9.7
265/65R17	112	T	7½~9½J	8J	272	776	9.7
265/70R15	110	H	7~9J	8J	272	753	9.7
265/70R15	112	H	7~9J	8J	272	753	9.7
265/70R15	112	T	7~9J	8J	272	753	9.7
265/70R16	112	H	7~9J	8J	272	778	9.7
265/70R16	112	T	7~9J	8J	272	778	9.7
265/70R17	113	H	7~9J	8J	272	804	9.7
265/70R17	115	H	7~9J	8J	272	804	9.7
265/75R16	116	H	7~9J	7½J	267	804	8.7
265/75R16	116	T	7~9J	7½J	267	804	8.7
275/60R17	110	H	7½~9½J	8J	279	762	9.7
275/65R17	115	H	7½~9½J	8J	279	790	9.7
275/65R17	115	T	7½~9½J	8J	279	790	9.7
275/65R17	119	H	7½~9½J	8J	279	790	9.7
275/70R16	114	H	7~9J	8J	279	792	9.7
275/70R16	114	T	7~9J	8J	279	792	9.7
285/60R18	120	H	8~10J	8½J	292	799	8.2
285/60R18	120	V	8~10J	8½J	292	799	8.2
285/65R17	116	H	8~10J	8½J	292	802	9.7
285/65R17	116	T	8~10J	8½J	292	802	9.7



# ECOSAVER II

## SUV COMFORT TYRES SERIES



comfort



high performance



symmetric tread pattern



all-weather support

comfort: low tire noise, low vibration and impacts against obstacles

high-performance: outstanding wear resistance and steering

symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance

all-weather support: whenever on sunny or rainy days, the tyre always provides good driving and grip force

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
215/65R16	102	H	6~7J	6½J	221	686	7.8
225/60R18	100	H	6~7J	6½J	228	727	7.8
235/65R18	106	H	6½~7½J	7J	240	763	7.8
255/50R19	107	W	7½~8½J	8J	265	739	7.8
215/55R18	99	V	6½~7½J	7J	226	693	7.8
215/60R17	96	H	6~7J	6½J	221	690	7.8
225/60R17	99	H	6~7J	6½J	228	702	7.8
225/65R17	102	H	6~7J	6½J	228	724	7.8
235/65R17	104	H	6½~7½J	7J	240	738	7.8
235/55R18	100	H	7~8J	7½J	245	715	7.8
235/60R18	103	H	6½~7½J	7J	240	739	7.8
215/65R17	99	V	6~7J	6½J	221	712	7.8
245/60R18	105	V	6½~7½J	7J	248	751	7.8
255/55R18	109	V	7½~8½J	8J	265	737	7.8
235/55R20	105	V	7~8J	7½J	245	766	7.8
255/55R20	110	V	7½~8½J	8J	265	788	7.8
245/55R19	103	W	7~8J	7½J	253	753	7.8



# CRUISE HTX

## SUV COMFORT TYRES SERIES



comfort



high performance



symmetric tread pattern



all-weather support

comfort: low tire noise, low vibration and impacts against obstacles

high-performance: outstanding wear resistance and steering

symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance

all-weather support: whenever on sunny or rainy days, the tyre always provides good driving and grip force

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
205/70R15	96	H	5-7J	6J	209	669	8
215/65R16	98	H	6~7½J	6½J	221	686	8
215/70R16	100	H	5½~7J	6½J	221	708	8
225/60R17	99	H	6~8J	6½J	228	702	8
225/65R17	102	H	6~8J	6½J	228	724	8
225/70R16	102	H	6~7½J	6½J	228	722	8
235/55R18	104	V	7-8J	7½J	245	715	8
235/60R17	103	H	6½-7½J	7J	240	714	8
235/60R18	103	V	6½~8½J	7J	240	739	8
235/65R17	108 XL	V	6½~8½J	7J	240	738	8
265/65R17	112	H	7½~9½J	8J	272	776	8





# ECOLANDER

## SUV A/T ALL-ROAD-CONDITION TIRE SERIES



comfort



high performance



symmetric tread pattern



all-weather support

comfort: ECOLANDER fits all kinds of roads, complex and non-paved ways, including gravel driveway, muddy driveway and etc.

high-performance: outstanding wear resistance and steering

symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance

all-weather support: whenever on sunny or rainy days, summer or winter days, the tire always provides good driving and grip force.

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
215/70R16	99	T	5½~7J	6½J	221	708	9.7
215/75R15LT	106/103	S	5½~7J	6J	216	709	11.6
215/85R16LT	115/112	S	5½~7J	6J	216	778	11.6
225/70R16	101	T	6~7½J	6½J	228	722	9.7
225/70R16	107	T	6~7½J	6½J	228	722	9.7
225/75R15LT	108/104	S	6~7J	6J	223	725	11.6
225/75R16LT	115/112	S	6~7J	6J	223	750	11.6
235/70R16	104	T	6~8J	7J	240	736	9.7
235/75R15LT	110/107	S	6~7J	6½J	235	739	11.6
235/75R15LT	116/113	S	6~7J	6½J	235	739	11.6
235/85R16LT	120/116	S	6~7½J	6½J	235	812	11.6
245/70R16	106/111	T	6½~8J	7J	248	750	9.7
245/75R16LT	120/116	S	6½~8J	7J	248	780	11.6
245/75R17LT	121/118	S	6½~7½J	7J	248	806	11.6
255/70R15LT	113/110	S	6.5~8J	7½J	260	745	11.6
255/70R16	109	T	6½~8½J	7½J	260	764	9.7
255/70R16	111	T	6½~8½J	7½J	260	764	9.7
265/65R17	110	T	7½~9½J	8J	272	776	9.7
265/65R17	112	T	7½~9½J	8J	272	776	9.7
265/70R16	111	T	7~9J	8J	272	778	9.7
265/70R16	112	T	7~9J	8J	272	778	9.7
265/70R16LT	121/118	R	7~8½J	8J	272	784	11.6
265/70R17	113	T	7~9J	8J	272	804	9.7
265/70R17LT	121/118	S	7~8½J	8J	272	810	11.6
265/75R16LT	123/120	S	7~8J	7½J	267	810	11.6
275/65R17	113	T	7½~9½J	8J	279	790	9.7
275/65R17	115	T	7½~9½J	8J	279	790	9.7
275/65R18LT	123/120	S	7½~9J	8J	279	821	11.6
285/70R17LT	121/118	S	7½~9J	8½J	292	838	11.6
285/75R16LT	126/123	R	7½~9J	8J	286	840	11.6
305/70R17LT	121/118	R	8~9½J	9J	311	860	12
31×10.50R15LT	109	S	7~9J	8½J	268	781	11.6
315/70R17LT	121/118	R	8~11J	9½J	323	880	11.6



# CROSSLANDER

SUV A/T ALL-ROAD-CONDITION  
TIRE SERIES



comfort



high performance



symmetric tread pattern



all-weather support

comfort: CROSSLANDER fits all kinds of roads, complex and non-paved ways, including gravel driveway, muddy driveway and etc.

high-performance: outstanding wear resistance and steering

symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance

all-weather support: whenever on sunny or rainy days, summer or winter days, the tire always provides good driving and grip force.

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
205R16C	110/108	S	5½~6½J	6J	208	736	9.8
205/80R16LT	106/103	S	5~7J	5½J	203	734	9.8



## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
205/80R16	110	S	5~7J	5½J	203	734	9.8
235/75R15	109	S	6~8J	6½J	235	733	12.3
245/70R16	111	T	6½~8J	7J	248	750	9.8
265/65R17	112	T	7½~9½J	8J	272	776	10.2
265/70R16	112	T	7~9J	8J	272	778	10.2
31×10.50R15LT	109	S	7~9J	8½J	268	775	12.3
LT225/75R16	115/112	S	6~7J	6J	223	750	12.3
LT235/75R15	104/101	S	6~7J	6½J	235	739	12.3
LT235/85R16	120/116	S	6~7½J	6½J	235	812	12.3
LT265/75R16	123/120	S	7~8J	7½J	267	804	12.3

# TUFTRAIL

SUV A/T ALL-ROAD-CONDITION  
TIRE SERIES



comfort



high performance



symmetric tread pattern



all-weather support

comfort: TUFTRAIL fits all kinds of roads, complex and non-paved ways, including gravel driveway, muddy driveway and etc.

high-performance: outstanding wear resistance and steering

symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance

all-weather support: whenever on sunny or rainy days, summer or winter days, the tire always provides good driving and grip force.



# ROADLEGEND-HT

SUV A/T ALL-ROAD-CONDITION  
TIRE SERIES



comfort



high performance



symmetric tread pattern



all-weather support

comfort:ROADLEGEND fits all kinds of roads, complex and non-paved ways, including gravel driveway, muddy driveway and etc.  
 high-performance: outstanding wear resistance and steering  
 symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance  
 all-weather support: whenever on sunny or rainy days, summer or winter days, the tire always provides good driving and grip force.

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
LT225/75R16	115/112	R	6~7J	6J	223	744	10.5
LT235/85R16	120/116	R	6~7½J	6 1/2J	235	806	10.5
LT245/75R16	120/116	R	6½~8J	7J	248	774	10.5
LT245/75R17	121/118	S	6½~7½J	7J	248	800	10.5
LT265/70R17	121/118	S	7~8½J	8J	272	804	10.5
LT265/75R16	123/120	R	7~8J	7 1/2J	267	804	10.5



# CHALLENGER M/T

## MUDDY-WAY TYRE SERIES



professional off-road experience



high performance



symmetric tread pattern



all-weather support

professional off-road experience: offers professional off-road experience on rough ways, no matter muddy driveway or mountain ways.

Super high performance: offers superior traction and passability

symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance

all-weather support: whenever on sunny or rainy days, summer or winter days, the tire always provides good driving and grip force

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
33×12.50R17LT	120	Q	8½~11 J	10J	318	832	13.9
33×12.50R17LT	114	Q	8½~11 J	10J	318	832	13.9
33×12.50R18LT	118	Q	8½~11 J	10J	318	832	13.9
33×12.50R20LT	114	Q	8½~11 J	10J	318	832	13.9
LT265/70R17	121/118	Q	7~8½ J	8J	272	810	13.1
LT265/70R17	118/115	Q	7~8½ J	8J	272	810	13.1
LT265/75R16	123/120	Q	7~8 J	7½J	267	810	13.1
LT265/75R16	119/116	Q	7~8 J	7½J	267	810	13.1
LT275/65R18	123/120	Q	7½~9 J	8J	279	821	13.1
LT285/55R20	122/119	Q	8~10 J	9J	297	828	13.1
LT285/55R20	117/114	Q	8~10 J	9J	297	828	13.1
LT285/70R17	121/118	Q	7½~9 J	8½J	292	838	13.1
LT285/75R16	126/123	Q	7½~9 J	8J	286	840	11.6
LT285/75R16	122/119	Q	7½~9 J	8J	286	840	11.6
LT295/70R17	121/118	Q	7½~10 J	8½J	299	852	13.1
31×10.50R15LT	109	Q	7~9 J	8½J	268	781	11.6



# MUD CONTENDER M/T

MUDDY-WAY TYRE SERIES



professional off-road experience



high performance



symmetric tread pattern



all-weather support

professional off-road experience: offers professional off-road experience on rough ways, no matter muddy driveway or mountain ways.

Super high performance: offers superior traction and passability

symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance

all-weather support: whenever on sunny or rainy days, summer or winter days, the tire always provides good driving and grip force

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
31×10.50R15LT	109	Q	7 ~9 J	8½J	268	15	13.9
33×12.50R17LT	120	Q	8½ ~11 J	10J	318	17	13.9
33×12.50R18LT	118	Q	8½ ~11 J	10J	318	18	13.9
33×12.50R20LT	114	Q	8½ ~11 J	10J	318	20	13.9
35×12.50R20LT	121	Q	8½ ~11 J	10J	318	20	13.9
265/70R17	121/118	Q	7~8½ J	8J	272	17	13.1
265/75R16	123/120	Q	7~8 J	7½J	267	16	13.1
275/65R18	123/120	Q	7½~9 J	8J	279	18	13.1
285/55R20	122/119	Q	8~10 J	9J	297	20	13.1
285/70R17	121/118	Q	7½ ~9 J	8½J	292	17	13.1
285/70R18	127/124	Q	7½ ~9½ J	8½J	292	18	13.1
285/75R16	126/123	Q	7½ ~9 J	8J	286	16	13.1
285/75R17	121/118	Q	7½ ~9½ J	8J	286	17	13.1
295/70R17	121/118	Q	7½ ~10 J	8½J	299	17	13.1



# EFFITRAC

## BUSINESS CAR/VAN TYRE SERIES

-  comfort
-  high performance
-  symmetric tread pattern
-  all-weather support

comfort: low tyre noise, low vibration and impacts against obstacles  
 high-performance: outstanding anti-slipping, steering and high-speed performance  
 symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance  
 all-weather support: whenever on sunny or rainy days, the tire always provides good driving and grip force

### SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
155R13C	85/83	S	4~5J	4½J	157	578	7.8
175/70R14C	95/93	S	4½~5½J	5J	177	602	8.2
185/75R16C	104/102	R	5~6J	5J	184	684	8.7
185R14C	102/100	Q	5~6J	5½J	188	650	8.2
195/65R16C	104/102	R	5½~6J	6J	201	660	8.7
195/70R15C	104/102	R	5~6J	6J	201	655	8.7
195/75R16C	107/105	R	5~6J	5½J	196	698	8.7
195R14C	106/104	Q	5~6J	5½J	198	666	8.2
195R15C	106/104	Q	5~6J	5½J	196	693	8.2
205/65R16C	107/105	R	5½~6½J	6J	209	672	8.7
205/70R15C	106/104	R	5½~6½J	6J	209	669	8.7
205R14C	109/107	S	5½~6½J	6J	208	686	8.2
215/65R15C	104/102	T	6~7J	6½J	221	661	8.7
215/65R16C	109/107	R	6~7J	6½J	221	686	9.2
215/75R16C	116/114	R	5½~7J	6J	216	728	9.2
225/65R16C	112/110	R	6~7J	6½J	228	698	9.2
225/70R15C	112/110	S	6~7J	6½J	228	697	9.2
235/65R16C	115/113	R	6½~7½J	7J	240	712	9.2



# EFFIVAN

## COMERCIAL TIRE

-  comfort
-  high performance
-  symmetric tread pattern
-  all-weather support

comfort: low tyre noise, low vibration and impacts against obstacles

high-performance: outstanding anti-slipping, steering and high-speed performance

symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance

all-weather support: whenever on sunny or rainy days, the tire always provides good driving and grip force

### SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
165/70R13C	88/86	T	4-5J	5J	170	562	7.8
165/70R13LT	88/86	T	4-5J	5J	170	562	7.8
165R13C	94/93	R	4-5J	4.50B	167	596	8
165R13LT	94/93	R	4-5J	4.50B	167	596	8
165R14C	96/95	R	4-5J	4 1/2J	167	622	8
175R13C	97/95	S	4 1/2-5 1/2J;4.50B 5.00B	5.00B	177	610	8
175R13C	97/95	R	4 1/2-5 1/2J;4.50B 5.00B	5.00B	177	610	8
175R14C	99/98	R	4 1/2-5 1/2J	5J	178	634	8
185R15C	103/102	R	5-6J	5 1/2J	188	674	8.2
215/70R15C	109/107	S	5 1/2-7J	6 1/2J	221	683	8.5





# TRACVAN

## BUSINESS CAR/VAN TYRE SERIES

-  comfort
-  high performance
-  symmetric tread pattern
-  all-weather support

comfort: low tire noise, low vibration and impacts against obstacles

high-performance: outstanding anti-slipping, steering and high-speed performance

symmetric tread pattern: symmetric tread patterns on both sides guarantee excellent high-speed straight running performance

all-weather support: whenever on sunny or rainy days, summer or winter days, TRACVAN tire always provides good driving and grip force

### SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
185/75R16C	104/102	R	5~6J	5J	184	684	8.7



# WINTER PRO

## WINTER TYRE SERIES



comfort: low tyre noise, low vibration and impacts against obstacles  
 snow-land steering: excellent steering on icy and snowy roads  
 directional tread patterns: ensures the high-speed stability  
 Winter tyres: offers good driving and grip force in cold days

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
175/65R14	82	T	5~6J	5J	177	584	8.1
175/70R13	82	T	4½~6J	5J	177	576	8.1
185/60R14	82	T	5~6½J	5½J	189	578	8.3
185/65R14	86	T	5~6½J	5½J	189	596	8.3
185/65R15	88	T	5~6½J	5½J	189	621	8.3
185/70R14	88	T	4½~6J	5½J	189	616	8.3
195/55R15	85	T	5½~7J	6J	201	595	8.3
195/60R15	88	T	5½~7J	6J	201	615	8.3
195/60R16	89	T	5½~7J	6J	201	640	8.3
195/65R15	91	T	5½~7J	6J	201	635	8.3
205/50R17	89	H	5½~7½J	6½J	214	638	8.3
205/60R16	92	T	5½~7½J	6J	209	652	8.3
205/65R15	94	T	5½~7½J	6J	209	647	8.3
205/70R15	96	T	5~7J	6J	209	669	8.3
215/55R18	95	H	6½~7½J	7J	226	693	8.3
215/60R16	95	T	6~7½J	6½J	221	664	8.3
215/60R17	96	T	6~7½J	6½J	221	690	8.3
215/65R16	98	T	6~7½J	6½J	221	686	8.3
225/50R17	94	H	6~8J	7J	233	658	8.3
225/50R18	95	H	6½~7½J	7J	233	683	8.3
225/55R18	98	T	6½~7½J	7J	233	705	8.3
225/60R17	99	S	6~8J	6½J	228	702	8.8
225/60R18	100	S	6~8J	6½J	228	727	8.8
225/65R17	102	S	6~8J	6½J	228	724	8.8
235/45R18	94	H	7½~9J	8J	236	669	8.3
235/55R18	100	T	6½~8½J	7½J	245	715	8.3
235/60R18	103	S	6½~8½J	7J	240	739	8.8
245/40R18	93	H	6½~8½J	7J	240	810	8.8
245/45R18	96	H	6½~8½J	7J	240	780	8.8
245/45R20	93	H	6½~8½J	7J	240	720	8.8
245/45R20	101	H	6½~8½J	7J	240	710	8.8
255/45R19	104	T	8~9J	8½J	255	703	7.8
245/40R19	98	H	8~9J	8½J	248	679	7.8
255/40R20	101	T	7~8J	7½J	260	712	7.4
235/50R20	100	T	6½~7½J	7J	245	744	7.4
215/50R18	92	H	8½~9½J	9J	226	673	7.4
265/45R21	108	T	8½~9½J	9J	266	771	7.4
245/50R20	102	T	7~8J	7½J	253	754	7.8
255/50R20	110	T	7½~8½J	8J	265	764	7.4
235/45R19	95	T	7½~8½J	8J	236	695	7.4
255/40R18	95	H	8½~9½J	9J	260	661	7.8



# WINTER CHALLENGER

## WINTER TYRE SERIES

-  comfort
-  snow-land handling
-  directional tread pattern
-  winter tires

comfort: low tyre noise, low vibration and impacts against obstacles  
 snow-land steering: excellent steering on icy and snowy roads  
 directional tread patterns: ensures the high-speed stability  
 Winter tyres: offers good driving and grip force in cold days

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
165R14C	97/95	Q	5~6J	5½J	188	1600	9.2
165R14LT	96/95	Q	5~6J	5½J	188	1600	9.2
175R14C	99/98	Q	5~6J	5½J	188	1280	9.2
175R14LT	99/97	Q	5~6J	5½J	188	1280	9.2
185R14C	102/100	Q	5~6J	5½J	188	650	9.2
185R14LT	102/100	Q	5~6J	5½J	188	650	9.2
185R15C	103/102	Q	5-6J	51/2J	188	674	9.2
185R15LT	103/102	Q	5-6J	51/2J	188	674	9.2
195R15C	106/104	Q	5~6J	5.5J	196	693	9.5
195R15LT	106/104	Q	5~6J	5.5J	196	693	9.5
215/70R15C	109/107	Q	5½-7J	61/2J	221	683	9.2
215/70R15LT	104/101	Q	5½-7J	61/2J	221	683	9.2
215/75R15LT	100/97	Q	5½~7J	6J	216	709	9.5
215/75R16C	113/111	Q	5½~7J	6J	216	728	9.5
215/75R16LT	107/103	Q	5½~7J	6J	216	728	9.5
225/70R15C	112/110	Q	6~7J	6½J	228	697	9.5
225/70R15LT	107/103	Q	6~7J	6½J	228	697	9.5
235/75R15LT	104/101	Q	6~7J	6½J	235	739	9.5
6.50R16LT	107/102	M	6~7J	6½J	235	870	9.5
6.50R16LT	107/103	M	6~7J	6½J	235	870	9.5
7.00R16LT	111/107	M	6~7J	6½J	235	750	9.5



# FREEZE S1

## WINTER TYRE SERIES

-  comfort
-  snow-land handling
-  directional tread pattern
-  winter tires

comfort: low tyre noise, low vibration and impacts against obstacles

snow-land steering: excellent steering on icy and snowy roads

directional tread patterns: ensures the high-speed stability

Winter tyres: offers good driving and grip force in cold days

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
155/65R13	73	T	4½~5½J	4.50B	157	532	8.2
165/70R13	83	T	4~5½J	5.00B	170	562	8.2
175/70R14	88	T	4½~6J	5J	177	602	8.2
185/60R15	88	H	5~6½J	5½J	189	603	8.2
185R14C	102/100	S	5~6J	5½J	188	650	9.2
195/55R16	91	H	5½~7J	6J	201	620	8.5
195/70R15C	104/102	S	5~6J	6J	201	655	8.7
205/55R16	94	H	5½~7½J	6½J	214	632	8.2
215/50R17	95	H	6~7½J	7J	226	648	8.5
215/55R17	98	H	6~7½J	7J	226	668	8.5
225/55R17	101	H	6~8J	7J	233	680	8.5
235/55R17	103	H	6½~8½J	7½	245	690	8.5
245/55R19	107	H	7-8J	7½/2J	253	753	8



# ECOSNOW

## WINTER TWINTER TYRES SERIES



comfort



snow-land handling



directional tread pattern



winter tires

comfort: low tyre noise, low vibration and impacts against obstacles

snow-land steering: excellent steering on icy and snowy ways

directional tread patterns: excellent cornering performance on snow land

Winter tyres: offers good driving and grip force

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
175/65R14	82	H	5~6J	5J	177	584	8.2
185/60R14	82	H	5~6½J	5½J	189	578	8.2
185/65R14	86	H	5~6½J	5½J	189	596	8.2
185/65R15	88	H	5~6½J	5½J	189	621	8.2
195/55R15	85	H	5½~7J	6J	201	595	8.2
195/60R15	88	H	5½~7J	6J	201	615	8.2
195/65R15	91	H	5½~7J	6J	201	635	8.2
205/55R16	91	V	5½~7½J	6½J	214	632	8.2
205/60R16	96	H	5½~7½J	6J	209	652	8.2
205/65R15	94	H	5½~7½J	6J	209	647	8.2
215/55R16	97	V	6~7½J	7J	226	642	8.2
215/60R16	99	H	6~7½J	6½J	221	664	8.2
215/65R16	98	H	6~7½J	6½J	221	686	8.2
225/40R18	92	V	7½~9J	8J	230	637	8.2
225/45R17	94	V	7~8½J	7½J	225	634	8.2
225/55R16	99	V	6~8J	7J	233	654	8.2
245/45R18	100	V	7½~9J	8J	243	677	8.2
255/55R18	109	V	7~9J	8J	265	737	8.2



# ECOSNOW4x4

WINTER TYRE  
FOUR-WHEEL DRIVE SERIES



comfort: low tire noise, low vibration and impacts against obstacles  
 snow-land steering: excellent steering on icy and snowy ways  
 directional tread patterns: ensures high-speed stability  
 Winter tyre: offers good driving and grip force in cold days

## SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
215/60R17	100	T	6~7½J	6½J	221	690	8.7
215/70R16	100	T	5½~7J	6½J	221	708	9.2
215/75R15	100	T	5½~7J	6J	216	703	9.2
225/60R17	99	H	6~8J	6½J	228	702	9.2
225/60R18	100	T	6~8J	6½J	228	727	9.2
225/65R17	106	Q	6~8J	6½J	228	724	9.2
235/55R18	104	T	6½~8½J	7½J	245	715	8.5
235/55R19	105	T	6½~8½J	7½J	245	741	8.5
235/60R16	100	H	6½~8½J	7J	240	688	9.2
235/65R17	108	H	6½~8½J	7J	240	738	9.2
235/70R16	106	T	6~8J	7J	240	736	9.2
245/70R16	107	T	6½~8J	7J	248	750	9.2
255/65R16	109	T	7~9J	7½J	260	738	9.2
265/65R17	116	S	7½~9½J	8J	272	776	10.2
265/70R16	112	T	7~9J	8J	272	778	9.6



# FREEZE 4x4

## WINTER TWINTER TYRES SERIES



-  comfort
-  snow-land handling
-  directional tread pattern
-  winter tires

comfort: low tyre noise, low vibration and impacts against obstacles  
 snow-land steering: excellent steering on icy and snowy ways  
 directional tread patterns: excellent cornering performance on snow land  
 Winter tyres: offers good driving and grip force

### SUPPORTING DATA

SIZE	LOAD INDEX	SPEED INDEX	ALLOWED RIM	STANDARD RIM	SECTION WIDTH	OUTER DIAMETER	GROOVE DEPTH
235/60R19	107	T	6½~8½J	7J	240	765	9.2
255/70R16	111	T	6½~8½J	7½J	260	764	9.2
245/70R17	110	T	6½~8J	7J	248	776	9.2
235/55R19	101	T	6½~8½J	7½J	245	741	9.2
265/65R17	112	T	7½~9½J	8J	272	776	9.2
265/60R18	110	T	7½~9½J	8J	272	775	9.2
235/65R18	106	T	6½~7½J	7J	240	763	9.2
235/55R20	102	T			245	766	9.2
255/55R19	111	H	7½~8½J	8J	265	763	7.8
255/55R20	110	V	7½~8½J	8J	265	788	7.8
245/60R18	109	H	6½~7½J	7J	248	751	7.8
265/55R19	113	T	8~9J	8½J	277	775	7.8



**THREE-A**  
QUIET RIDE